

A decorative vertical band on the left side of the page, featuring a repeating geometric pattern of interlocking diamonds and lines in a light gray color.

**A
NEW
START
WITH
NEW
GOAL**



ULTIMATE LUXURY

800x800mm

600x1200mm

**DOUBLE CHARGE
VITRIFIED TILES**



95%
REFLECTION



FORMIDABLE
STRENGTH



WATER
REPELLENT



STAIN
RESISTANT

CREATING
**ATTRACTIVE
SPACE**



luften
granito

600x
1200mm



**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



TESLA WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




TESLA ALASKA WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



TESLA GOLD

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



TESLA CREMA

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



TESLA ASH

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




TESLA MAJESTIC

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



ARIZONA WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




ARIZONA GOLD

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



ARIZONA ASH

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



ARIZONA BUTTERSCOTCH

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




ARIZONA CHARCOAL

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




ARIZONA LAVA

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



ARIZONA AQUA

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



ARIZONA BLACK

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



DELTA WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



DELTA GOLD

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



DELTA GREY

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




DELTA FENTA

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




DELTA NEON

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



DELTA VOLCANO

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



PERLATO WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



PERLATO FINT

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



PERLATO PLATINUM

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



PERLATO SANDY

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito




PERLATO BUTTERSCOTCH

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



SMOKE WHITE

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



SMOKE GOLD

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



SMOKE WONDER

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



SMOKE PISTA

**600x
1200mm**

**DOUBLE
CHARGE
VITRIFIED
TILES**

Luften
granito



SMOKE ASH

Technical Specification

Sr. No.	PROPERTY	International Std. ISO 13006/EN 176 Group Bla	LUFTEN VALUE	Method of Testing
1.	Deviation in Length	± 0.60%	± 0.10%	ISO 10545 - 2
2.	Deviation in Thickness	± 5.00%	± 2.00%	ISO 10545 - 2
3.	Straightness of Sides	± 0.50%	± 0.10%	ISO 10545 - 2
4.	Rectangularity	± 0.60%	± 0.20%	ISO 10545 - 2
5.	Surface Flatness	± 0.50%	± 0.20%	ISO 10545 - 2
6.	Water absorption	< 0.05%	< 0.05%	ISO 10545 - 2
7.	Mohs hardness	> 6	> 6	EN 101
8.	Flexural Strength	> 35 N/mm ² %	> 45 N/mm ²	ISO 10545 - 4
9.	Abrasion resistance	> 175 mm ² %	> 144 mm ²	ISO 10545 - 6
10.	Skid Resistance	> 0.4 %	> 0.4	ISO 10545 - 17
11.	Breaking Strength	1113 N %	> 2500 N	ISO 10545 - 4
12.	Density (g/cc)	> 2	2.3	ISO 10545 - 3
13.	Frost resistance	Frost proof	Frost proof	ISO 10545 - 12
14.	Chemical Resistance	No damage	No damage	ISO 10545 - 13
15.	Thermal Shock Resistance	No damage	No damage	ISO 10545 - 9
16.	Colour Resistance	No damage	No damage	DIN 51094
17.	Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO 10545 - 8
18.	Stain Resistance	Resistant	Resistant	DIN 51094
19.	Moisture Expansion	Nil	Nil	DIN 51094
20.	Glossiness	—	—	Glossmeter

Packing Details

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
600x1200mm	9mm Approx	2 Pcs.	1.44 Sq. Mtr.	28 Kg. Approx

Application



Colours shown are as accurate as the limitations of the printing process. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been taken to ensure the accuracy of the information provided. However, the company reserves the right to change the specification without prior notice. Some times variations in size or colour may occur due to the inherent nature of the ceramic industry. It is advised to check the tiles before purchase and laying as the company does not accept responsibility one the tiles are sold.



LUFTEN TILES LLP

At. Jivapar (C), Survey No. 265P1 & P2 & 266,
Near Lovin Tiles, Jetpar - Pipli Road,
Morbi - 363 642 (Guj.) INDIA.

 luftentilesllp@gmail.com

 +91 97124 15000, +91 96386 31000